DPM

Safety Data Sheet

Issue Date: 06-Jul-2010 Revision Date: 17-Oct-2014 Version 1

1. IDENTIFICATION

Product Identifier

Product Name Diversified Aqua Seal II – Part A - Isocyanate Component

Other means of identification

SDS # DPM-015

Recommended use of the chemical and restrictions on use

Recommended Use Isocyanate component of a water-blown rigid polyurethane foam system.

Details of the supplier of the safety data sheet

Supplier Address

Diversified Products Mfg, Inc. 5523 Baggett Marysville Rd Oroville, CA 95965

Emergency Telephone Number

Company Phone Number 530-534-3966 Phone 530-534-7404 Fax

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Brown liquid Physical State Liquid Odor Slightly musty

Classification

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Respiratory sensitization	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2

Signal Word

Danger

DPM-015 - Diversified Aqua Seal - Part A - II Isocyanate Component

·

Revision Date: 17-Oct-2014

Hazard Statements

Harmful if inhaled

Causes skin irritation

Causes serious eye irritation

May cause allergy or asthma symptoms or breathing difficulties if inhaled

May cause an allergic skin reaction

Suspected of causing cancer

May cause respiratory irritation

May cause damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wash face, hands and any exposed skin thoroughly after handling

In case of inadequate ventilation wear respiratory protection

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

Take off contaminated clothing and wash it before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a poison center or doctor/physician if you feel unwell

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Methylene bisphenyl isocyanate (MDI)	101-68-8	50-60

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

General Advice If exposed or concerned: Get medical advice/attention.

Eye Contact Immediately flush eyes with plenty of water for at least 15 minutes, lifting upper and lower

eyelids occasionally. Get immediate medical attention.

Skin Contact Wash with plenty of soap and water. Take off contaminated clothing and wash it before

reuse. For lesser exposure, seek medical attention if swelling or redness occurs, or if irritation persists after being washed. For severe exposure, seek medical attention

Revision Date: 17-Oct-2014

immediately.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a poison center or doctor/physician. If dizzy or shows signs of respiratory

distress, seek immediate medical attention.

Ingestion Do not induce vomiting. Never give anything by mouth to a person who is unconscious or

convulsing. If the individual is conscious, rinse mouth with water. Give one to two cups of

water to drink. Seek immediate medical attention/advice.

Most important symptoms and effects

Symptoms Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May cause allergy or

asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Suspected of causing cancer. May cause respiratory irritation. May cause damage to

organs through prolonged or repeated exposure.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical. Carbon dioxide (CO2). Foam. Water spray (fog).

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Not determined.

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO2). Nitrous oxide. HCN.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment as required.

Environmental Precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Absorb with dry chemical absorbent, earth, sand or any other inert material. Place in a

chemical waste container. Move to outside well-ventilated area.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling

Handle in accordance with good industrial hygiene and safety practice. Obtain special

instructions before use. Do not handle until all safety precautions have been read and

understood. Use personal protective equipment as required. Do not breathe

dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Wash face, hands, and any exposed skin thoroughly after handling. In case of inadequate ventilation wear respiratory protection. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing and eye/face protection.

Revision Date: 17-Oct-2014

Conditions for safe storage, including any incompatibilities

Storage Conditions Store locked up. Store in a well-ventilated place. Keep container tightly closed. Protect from

moisture. Store between 55°F-120°F (12.8°C-48.9°C).

Incompatible Materials Alkalis. Tertiary amines. Metal compounds.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Methylene bisphenyl isocyanate (MDI)	TWA: 0.005 ppm	(vacated) Ceiling: 0.02 ppm	IDLH: 75 mg/m ³
101-68-8		regulated under Methylene	Ceiling: 0.020 ppm 10 min
		bisphenyl isocyanate	Ceiling: 0.2 mg/m ³ 10 min
		(vacated) Ceiling: 0.2 mg/m ³	TWA: 0.005 ppm
		regulated under Methylene	TWA: 0.05 mg/m ³
		bisphenyl isocyanate	-
		Ceiling: 0.02 ppm	
		Ceiling: 0.2 mg/m ³	

Appropriate engineering controls

Engineering Controls Showers. Eyewash stations. Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear safety glasses with side shields (or goggles).

Skin and Body Protection Impervious gloves and protective clothing are recommended.

Respiratory Protection None required under normal use.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

eyes and skin. Do not eat, drink or smoke when using this product. Wash hands thoroughly

after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid

AppearanceBrown liquidOdorSlightly mustyColorBrownOdor ThresholdNot determined

 Property
 Values
 Remarks • Method

 pH
 Not determined

 Melting Point/Freezing Point
 Not determined

Boiling Point/Boiling Range 300 °C / 572 °F Flash Point 93.3 °C / 200 °F

Flash Point 93.3 °C / 200 °F CC (closed cup)

Evaporation Rate
Flammability (Solid, Gas)
Upper Flammability Limits
Lower Flammability Limit
Not determined
Not determined
Not determined

Vapor Pressure<0.0001 mm Hg</th>@ 25°C (77°F)Vapor DensityNot determined

Specific Gravity Not determined Water Solubility insoluble Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Polymerization may occur at elevated temperatures in the presence of alkalis, tertiary

amines and metal compounds.

Conditions to Avoid

Extreme temperatures. Contamination of any kind. Avoid moisture.

Incompatible Materials

Alkalis. Tertiary amines. Metal compounds.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes severe eye irritation.

Skin Contact Causes skin irritation.

Inhalation Harmful if inhaled.

Ingestion Do not ingest.

DPM-015 - Diversified Aqua Seal - Part A - II Isocyanate Component

Revision Date: 17-Oct-2014

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Methylene bisphenyl isocyanate	= 9200 mg/kg (Rat)	-	-
(MDI)			
101-68-8			
Methylenediphenyl diisocyanate	= 49 g/kg (Rat)	> 9400 mg/kg (Rabbit)	= 490 mg/m ³ (Rat)4 h
isomers (Polymeric MDI)			
9016-87-9			

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

Carcinogenicity Group 3 IARC components are "not classifiable as human carcinogens".

Chemical Name	ACGIH	IARC	NTP	OSHA
Methylene bisphenyl		Group 3		
isocyanate (MDI)				
101-68-8				

Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

STOT - single exposure May cause respiratory irritation.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of WastesDisposal should be in accordance with applicable regional, national and local laws and

Revision Date: 17-Oct-2014

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA All ingredients are listed or exempt from listing on Chemical Substance Inventory

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Methylene bisphenyl isocyanate	5000 lb		RQ 5000 lb final RQ
(MDI)			RQ 2270 kg final RQ
101-68-8			_

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Methylene bisphenyl isocyanate (MDI) - 101-68-8	101-68-8	50	1.0
Methylenediphenyl diisocyanate isomers (Polymeric MDI)	9016-87-9	50	1.0
- 9016-87-9			

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

Revision Date: 17-Oct-2014

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Methylene bisphenyl isocyanate	X		X
(MDI)			
101-68-8			
Methylenediphenyl diisocyanate	X		
isomers (Polymeric MDI)			
9016-87-9			

16. OTHER INFORMATION

NFPAHealth Hazards
Not determinedFlammability
Not determinedInstability
Not determinedSpecial Hazards
Not determinedHMISHealth Hazards
2*Flammability
1Physical Hazards
Physical Hazards
1Personal Protection
Not determined

Chronic Hazard Star Legend *= Chronic Health Hazard

Issue Date:06-Jul-2010Revision Date:17-Oct-2014Revision Note:New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

DPM)

Safety Data Sheet

Issue Date: 06-Jul-2010 Revision Date: 17-Oct-2014 Version 1

1. IDENTIFICATION

Product Identifier

Product Name Diversified Aqua Seal II - Part B - Polyol Component

Other means of identification

SDS# DPM-016

Recommended use of the chemical and restrictions on use

Recommended Use Polyol component of a water-blown rigid polyurethane foam system.

Details of the supplier of the safety data sheet

Supplier Address

Diversified Products Mfg, Inc. 5523 Baggett Marysville Rd Oroville, CA 95965

Emergency Telephone Number

Company Phone Number 530-534-3966 Phone 530-534-7404 Fax

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Various colors, including but not limited to yellow, black and brown

liquid

Physical State Liquid

Odor Slightly musty

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (repeated exposure)	Category 2

Signal Word Danger

Hazard Statements

Causes skin irritation Causes serious eye damage

May cause damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

Get medical advice/attention if you feel unwell

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a poison center or doctor/physician IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash it before reuse If skin irritation occurs: Get medical advice/attention

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Diethylene glycol	111-46-6	1-10
2-(Dimethylamino) ethanol	108-01-0	1-10

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

General Advice Get medical advice/attention if you feel unwell.

Eye Contact Immediately flush eyes with plenty of water for at least 15 minutes, lifting upper and lower

eyelids occasionally. Immediately call a poison center or doctor/physician.

Skin Contact Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash contaminated clothing before reuse. Seek medical attention if swelling or redness

Revision Date: 17-Oct-2014

occurs, or if irritation persists after being washed.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a poison center or doctor/physician.

Ingestion Rinse mouth. Do not induce vomiting. Give one to two cups of water to drink. Never give

anything by mouth to a person who is unconscious or convulsing. Seek medical attention

immediately.

Most important symptoms and effects

Symptoms May cause damage to organs through prolonged or repeated exposure. Ingestion may

cause irritation of the gastrointestinal tract and gastrointestinal discomfort with any or all of the following symptoms: Nausea, vomiting, lethargy or diarrhea. Inhalation of vapors or mists at high concentrations can cause respiratory tract irritation (nose, throat, lungs).

Causes skin irritation. Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical. Carbon dioxide (CO2). Foam. Water spray (fog).

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Not determined.

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment as required.

Environmental Precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Absorb with dry chemical absorbent, earth, sand or any other inert material. Place in a

chemical waste container. Move to outside well-ventilated area.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Do not breathe

dust/fume/gas/mist/vapors/spray. Wash face, hands, and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing and eye/face protection. Use only with

adequate ventilation.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store locked up. Keep containers tightly closed in a cool, well-ventilated place. Store

indoors. Store away from incompatible materials.

Incompatible Materials Strong acids. Strong bases. Oxidizers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies

Appropriate engineering controls

Engineering ControlsApply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear safety glasses with side shields (or goggles).

Skin and Body Protection Wear protective gloves and protective clothing.

Respiratory Protection None required under normal use.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

eyes and skin. After working with this product, wash hands thoroughly with soap and water

Revision Date: 17-Oct-2014

before eating, drinking, smoking or using toilet facilities.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid

Appearance Various colors, including but not limited Odor Slightly musty

to yellow, black and brown liquid

Color Various colors, including but not limited Odor Threshold Not determined

to yellow, black and brown

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH Not determined
Melting Point/Freezing Point Not determined

Melting Point/Freezing Point Not determined Boiling Point/Boiling Range Not determined

Flash Point 93.3 °C / 200 °F CC (closed cup)

Evaporation Rate
Flammability (Solid, Gas)
Upper Flammability Limits
Not determined
Not determined

Lower Flammability Limit Not determined

Vapor Pressure <1 mm Hg @ 25 °C (77 °F)

Vapor Density Not determined **Specific Gravity** Not determined Water Solubility Partially soluble Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Under normal conditions of storage and use, hazardous polymerization will not occur.

Conditions to Avoid

Extreme temperatures. Container contamination. Avoid moisture.

Incompatible Materials

Strong acids. Strong bases. Oxidizers.

Hazardous Decomposition Products

Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes serious eye damage.

Skin Contact Causes skin irritation.

Inhalation Do not inhale.

Ingestion Do not ingest.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-(Dimethylamino) ethanol	= 1803 mg/kg (Rat)	= 1370 μL/kg (Rabbit)	= 6.1 mg/L (Rat) 4 h = 1641 ppm
108-01-0			(Rat) 4 h
Diethylene glycol	= 12565 mg/kg (Rat)	= 11890 mg/kg (Rabbit)	=
111-46-6			

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
2-(Dimethylamino) ethanol	35: 72 h Desmodesmus	81: 96 h Pimephales		98.77: 48 h Daphnia magna
108-01-0	subspicatus mg/L EC50	promelas mg/L LC50 static		mg/L EC50
Diethylene glycol		75200: 96 h Pimephales	EC50 = 29228 mg/L 15 min	84000: 48 h Daphnia magna
111-46-6		promelas mg/L LC50 flow-	_	mg/L EC50
		through		

DPM-016 - Diversified Aqua Seal II - Part B - Polyol Component

Revision Date: 17-Oct-2014

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Diethylene glycol 111-46-6	-1.98
2-(Dimethylamino) ethanol 108-01-0	-0.55

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA All ingredients are listed or exempt from listing on Chemical Substance Inventory

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 311/312 Hazard Categories

Acute Health Hazard Yes **Chronic Health Hazard** Yes Fire Hazard No **Sudden Release of Pressure Hazard** No **Reactive Hazard** No

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-(Dimethylamino) ethanol 108-01-0	X	X	X
Diethylene glycol 111-46-6			X

16. OTHER INFORMATION

NFPA_	Health Hazards	Flammability	Instability	Special Hazards
	Not determined	Not determined	Not determined	Not determined
<u>HMIS</u>	Health Hazards	Flammability	Physical Hazards	Personal Protection
<u> </u>	2*	1	1	Not determined

Chronic Hazard Star Legend * = Chronic Health Hazard

Issue Date: 06-Jul-2010 **Revision Date:** 17-Oct-2014 **Revision Note:** New format

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet